

Safety Data Sheet

according to Regulation (EC) No 1907/2006

HYLINEHSL-90

Revision date: 01.03.2021

Product code:

Page 1 of 13

SECTION 1: Identification of the substance/mixture and of the company/undertaking**1.1. Product identifier**

HYLINEHSL-90

1.2. Relevant identified uses of the substance or mixture and uses advised against**Use of the substance/mixture**

Professional use of dishwash products

Uses advised against

Any non-intended use.

1.3. Details of the supplier of the safety data sheet

Company name:	HOBART GmbH	
Street:	Robert-Bosch-Strasse 17	
Place:	D-77656 Offenburg	
Telephone:	+49 (0) 781.600-0	Telefax: +49 (0) 781.600-23 19
e-mail:	info@hobart.de	
Internet:	www.hobart.de	
Responsible Department:	Dr. Gans-Eichler Chemieberatung GmbH Otto-Hahn-Str. 36 D-48161 Muenster	e-mail: info@tge-consult.de Tel.: +49(0)2534 6441185 www.tge-consult.de

1.4. Emergency telephone number:

Giftnotruf (Poison Center) Berlin: +49 (0) 30 30686700

SECTION 2: Hazards identification**2.1. Classification of the substance or mixture****Regulation (EC) No. 1272/2008**

Hazard categories:

Substance or mixture corrosive to metals: Met. Corr. 1

Skin corrosion/irritation: Skin Corr. 1A

Serious eye damage/eye irritation: Eye Dam. 1

Hazard Statements:

May be corrosive to metals.

Causes severe skin burns and eye damage.

Causes serious eye damage.

2.2. Label elements**Regulation (EC) No. 1272/2008****Hazard components for labelling**

sodium hydroxide; caustic soda

sodium metasilicate pentahydrate

Signal word: Danger**Pictograms:****Hazard statements**

H290

May be corrosive to metals.

H314

Causes severe skin burns and eye damage.

Precautionary statements

P260

Do not breathe Dust.

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

HYLINEHSL-90

Revision date: 01.03.2021

Product code:

Page 2 of 13

P280	Wear protective gloves/protective clothing/eye protection/face protection.
P301+P330+P331	IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
P303+P361+P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310	Immediately call a POISON CENTER/doctor.

2.3. Other hazards

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

SECTION 3: Composition/information on ingredients**3.2. Mixtures****Hazardous components**

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	GHS Classification			
1310-73-2	sodium hydroxide; caustic soda			25 - 50 %
	215-185-5	011-002-00-6	01-2119457892-27	
	Met. Corr. 1, Skin Corr. 1A, Eye Dam. 1; H290 H314 H318			
497-19-8	sodium carbonate			10 - 25 %
	207-838-8	011-005-00-2		
	Eye Irrit. 2; H319			
10213-79-3	sodium metasilicate pentahydrate			2,5 - 5 %
	Skin Corr. 1B, STOT SE 3; H314 H335			
1312-76-1	Silicic acid, potassium salt MR >2,6			2,5 - 5 %
	215-199-1		01-2119456888-17	
	Skin Irrit. 2, Eye Irrit. 2, STOT SE 3; H315 H319 H335			

Full text of H and EUH statements: see section 16.

Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity
		Specific Conc. Limits, M-factors and ATE	
1310-73-2	215-185-5	sodium hydroxide; caustic soda	25 - 50 %
		Skin Corr. 1A; H314: >= 5 - 100 Skin Corr. 1B; H314: >= 2 - < 5 Skin Irrit. 2; H315: >= 0,5 - < 2 Eye Irrit. 2; H319: >= 0,5 - < 2	
497-19-8	207-838-8	sodium carbonate	10 - 25 %
		dermal: LD50 = > 2000 mg/kg; oral: LD50 = 2800 mg/kg	
1312-76-1	215-199-1	Silicic acid, potassium salt MR >2,6	2,5 - 5 %
		inhalation: LC50 = > 2,06 mg/l (vapours); dermal: LD50 = > 5000 mg/kg; oral: LD50 = > 5000 mg/kg	

Further Information

Product does not contain listed SVHC substances > 0,1 % according to Regulation (EC) No. 1907/2006 Article 59 (REACH)

SECTION 4: First aid measures**4.1. Description of first aid measures**

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

HYLINEHSL-90

Revision date: 01.03.2021

Product code:

Page 3 of 13

General information

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

After inhalation

In case of accident by inhalation: remove casualty to fresh air and keep at rest. In case of respiratory tract irritation, consult a physician. In the case of lung irritation: Primary treatment using corticoide spray, eg. Auxiloson spray, Pulmicort-dosage-spray. (Auxiloson and Pulmicort are registered trademarks).

After contact with skin

After contact with skin, wash immediately with plenty of water and soap. Take off immediately all contaminated clothing. In case of skin irritation, seek medical treatment.

After contact with eyes

In case of contact with eyes, rinse immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart. Subsequently consult an ophthalmologist.

After ingestion

Do NOT induce vomiting. Rinse mouth thoroughly with water. Let water be drunken in little sips (dilution effect). Observe risk of aspiration if vomiting occurs. Never give anything by mouth to an unconscious person or a person with cramps. When in doubt or if symptoms are observed, get medical advice.

4.2. Most important symptoms and effects, both acute and delayed

If swallowed danger of perforation of the esophagus and the stomach (strong corrosive effects).

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures**5.1. Extinguishing media****Suitable extinguishing media**

Carbon dioxide (CO₂). Dry extinguishing powder. alcohol resistant foam. Water fog.

Unsuitable extinguishing media

High power water jet.

5.2. Special hazards arising from the substance or mixture

Can be released in case of fire: Carbon dioxide (CO₂). Carbon monoxide (CO).

5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus.

Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

Co-ordinate fire-fighting measures to the fire surroundings.

Fire fighting water forms corrosive alkaline solutions - slip hazard!

SECTION 6: Accidental release measures**6.1. Personal precautions, protective equipment and emergency procedures****General measures**

Avoid dust formation.

Do not breathe dust.

For non-emergency personnel

Wear personal protection equipment (refer to section 8).

For emergency responders

No special measures are necessary.

6.2. Environmental precautions

Discharge into the environment must be avoided.

6.3. Methods and material for containment and cleaning up

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

HYLINEHSL-90

Revision date: 01.03.2021

Product code:

Page 4 of 13

For containment

Take up carefully when dry.

Treat the recovered material as prescribed in the section on waste disposal.

For cleaning up

Clean contaminated objects and areas thoroughly observing environmental regulations.

Other information

Do not mix with acids.

6.4. Reference to other sections

Safe handling: see section 7

Disposal: see section 13

SECTION 7: Handling and storage**7.1. Precautions for safe handling****Advice on safe handling**

Wear personal protection equipment (refer to section 8).

Advice on protection against fire and explosion

Usual measures for fire prevention. Dust clouds may present an explosion hazard.

Further information on handling

Avoid generation of dust.

General protection and hygiene measures: refer to chapter 8

7.2. Conditions for safe storage, including any incompatibilities**Requirements for storage rooms and vessels**

Keep container tightly closed in a cool, well-ventilated place.

Hints on joint storage

Do not store together with: Explosives. Oxidizing solids. Oxidizing liquids. Organic peroxides. Self-reactive substances and mixtures. Radioactive substances. Infectious substances.

Further information on storage conditions

Keep the packing dry and well sealed to prevent contamination and absorption of humidity.

Recommended storage temperature: 20°C

Protect against: frost. UV-radiation/sunlight. heat. Humidity

7.3. Specific end use(s)

See section 1.

SECTION 8: Exposure controls/personal protection**8.1. Control parameters****Exposure limits (EH40)**

CAS No	Substance	ppm	mg/m ³	fibres/ml	Category	Origin
1310-73-2	Sodium hydroxide	-	2		STEL (15 min)	WEL

DNEL/DMEL values

CAS No	Substance	Exposure route	Effect	Value
1310-73-2	sodium hydroxide; caustic soda			
Worker DNEL, long-term		inhalation	local	1 mg/m ³
Consumer DNEL, long-term		inhalation	local	1 mg/m ³
1312-76-1	Silicic acid, potassium salt MR >2,6			

Safety Data Sheet

according to Regulation (EC) No 1907/2006

HYLINEHSL-90

Revision date: 01.03.2021

Product code:

Page 5 of 13

Worker DNEL, long-term	inhalation	systemic	5,61 mg/m ³
Worker DNEL, long-term	dermal	systemic	1,49 mg/kg bw/day
Consumer DNEL, long-term	inhalation	systemic	1,38 mg/m ³
Consumer DNEL, long-term	dermal	systemic	0,74 mg/kg bw/day
Consumer DNEL, long-term	oral	systemic	0,74 mg/kg bw/day

PNEC values

CAS No	Substance	
	Environmental compartment	Value
1312-76-1	Silicic acid, potassium salt MR >2,6	
	Freshwater	7,5 mg/l
	Freshwater (intermittent releases)	7,5 mg/l
	Marine water	1 mg/l
	Micro-organisms in sewage treatment plants (STP)	348 mg/l

8.2. Exposure controls

Appropriate engineering controls

Technical measures and the application of suitable work processes have priority over personal protection equipment.

Dust should be exhausted directly at the point of origin.

Protective and hygiene measures

Always close containers tightly after the removal of product. When using do not eat, drink, smoke, sniff. Wash hands before breaks and after work.

Eye/face protection

Dust protection goggles.

Hand protection

Wear suitable gloves.

Suitable material:

FKM (fluororubber). - Thickness of glove material: 0,4 mm

Breakthrough time >= 8 h

Butyl rubber. - Thickness of glove material: 0,5 mm

Breakthrough time >= 8 h

CR (polychloroprenes, Chloroprene rubber). - Thickness of glove material: 0,5 mm

Breakthrough time >= 8 h

NBR (Nitrile rubber). - Thickness of glove material: 0,35 mm

Breakthrough time >= 8 h

PVC (Polyvinyl chloride). - Thickness of glove material: 0,5 mm

Breakthrough time >= 8 h

The selected protective gloves have to satisfy the specifications of EU Directive EC/2016/425 and the standard EN 374 derived from it.

Check leak tightness/impermeability prior to use. In the case of wanting to use the gloves again, clean them before taking off and air them well.

Skin protection

Suitable protective clothing: Lab apron.

Minimum standard for preventive measures while handling with working materials are specified in the TRGS 500 (D).

Respiratory protection

With correct and proper use, and under normal conditions, breathing protection is not required.

Respiratory protection necessary at:

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

HYLINEHSL-90

Revision date: 01.03.2021

Product code:

Page 6 of 13

-Exceeding exposure limit values

-Generation/formation of dust

Suitable respiratory protective equipment: particulates filter device (DIN EN 143). Type: P1-3

The filter class must be suitable for the maximum contaminant concentration (gas/vapour/aerosol/particulates) that may arise when handling the product. If the concentration is exceeded, self-contained breathing apparatus must be used.

Environmental exposure controls

Do not allow uncontrolled discharge of product into the environment.

SECTION 9: Physical and chemical properties**9.1. Information on basic physical and chemical properties**

Physical state:	solid
Colour:	white
Odour:	characteristic
pH-Value:	14 (20% w/w)

Changes in the physical state

Melting point:	not determined
Boiling point or initial boiling point and boiling range:	not determined
Sublimation point:	not determined
Softening point:	not determined
Pour point:	not determined
Flash point:	not determined
Sustaining combustion:	Not sustaining combustion

Explosive properties

none

Lower explosion limits:	not determined
Upper explosion limits:	not determined
Auto-ignition temperature:	not determined

Self-ignition temperature

Solid:	not determined
Decomposition temperature:	not determined

Oxidizing properties

none

Vapour pressure:	not determined
Density:	1,5 g/cm ³
Bulk density:	not determined
Water solubility:	highly soluble.

Solubility in other solvents

not determined

Partition coefficient n-octanol/water:	not determined
Viscosity / dynamic:	not determined
Viscosity / kinematic:	not determined
Flow time:	not determined
Relative vapour density:	not determined
Evaporation rate:	not determined

Safety Data Sheet

according to Regulation (EC) No 1907/2006

HYLINEHSL-90

Revision date: 01.03.2021

Product code:

Page 7 of 13

Solvent separation test:

not determined

Solvent content:

not determined

9.2. Other information

Solid content:

not determined

SECTION 10: Stability and reactivity

10.1. Reactivity

No information available.

10.2. Chemical stability

The product is chemically stable under recommended conditions of storage, use and temperature.

10.3. Possibility of hazardous reactions

No hazardous reaction when handled and stored according to provisions.

Refer to chapter 10.5.

10.4. Conditions to avoid

Protect against: UV-radiation/sunlight. heat.

10.5. Incompatible materials

Materials to avoid: Oxidizing agents, strong. Reducing agents, strong. acid. Peroxides.

10.6. Hazardous decomposition products

Does not decompose when used for intended uses.

Can be released in case of fire: Carbon dioxide (CO₂). Carbon monoxide (CO).

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Toxicokinetics, metabolism and distribution

No data available.

Acute toxicity

Based on available data, the classification criteria are not met.

The product has not been tested.

CAS No	Chemical name				
	Exposure route	Dose	Species	Source	Method
497-19-8	sodium carbonate				
	oral	LD50 2800 mg/kg	Rat	ECHA Dossier	
	dermal	LD50 > 2000 mg/kg	Rabbit.	ECHA Dossier	EPA 16 CFR 1500.40
1312-76-1	Silicic acid, potassium salt MR >2,6				
	oral	LD50 > 5000 mg/kg	Rat	ECHA dossier	EPA OPPTS 870.1100
	dermal	LD50 > 5000 mg/kg	Rat	ECHA dossier	EPA OPPTS 870.1200
	inhalation (4 h) vapour	LC50 > 2,06 mg/l	Rat	ECHA dossier	EPA OPPTS 870.1300

Irritation and corrosivity

Causes severe skin burns and eye damage.

Causes serious eye damage.

The product has not been tested.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

HYLINEHSL-90

Revision date: 01.03.2021

Product code:

Page 8 of 13

Sensitising effects

Based on available data, the classification criteria are not met.
The product has not been tested.

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

sodium carbonate:

In vitro mutagenicity/genotoxicity:

Method: (AMES SALMONELLA TYPHIMURIUM): - ; Result: negative.

Literature information: FUJITA,H, AOKI,N AND SASAKI,M; MUTAGENICITY TEST OF FOOD ADDITIVES WITH SALMONELLA TYPHIMURIUM TA97 AND TA102. IX; TOKYO-TORITSU EISEI KENKYUSHO KENKYU NENPO 45:191-199, 1994

Reproductive toxicity:

Method: - ; Species: Mouse.

Exposure duration: 15d ; Result: NOAEL = 340 mg/kg; Literature information: Organization for Economic Cooperation and Development; SIDS Initial Assessment Profile (SIAP) for SIAM 15 (Boston, USA, 22-25 October 2002) Sodium carbonate (497-19-8) p.16.

Developmental toxicity/teratogenicity:

Method: - ; Species: Rat ; Exposure duration: 15d

Result: NOAEL >= 245 mg/kg; Literature information: ECHA Dossier

STOT-single exposure

Based on available data, the classification criteria are not met.
No data available.

STOT-repeated exposure

Based on available data, the classification criteria are not met.
No data available.

Aspiration hazard

Based on available data, the classification criteria are not met.
No data available.

Specific effects in experiment on an animal

No data available.

11.2. Information on other hazards

Endocrine disrupting properties

No data available.

SECTION 12: Ecological information

12.1. Toxicity

The product has not been tested.

CAS No	Chemical name					
	Aquatic toxicity	Dose	[h] [d]	Species	Source	Method
1310-73-2	sodium hydroxide; caustic soda					
	Acute fish toxicity	LC50 mg/l	45,4	96 h	Onchorhynchus mykiss	IUCLID
	Acute crustacea toxicity	EC50 mg/l	40,4	48 h	Ceriodaphnia sp.	ECHA Dossier
497-19-8	sodium carbonate					
	Acute fish toxicity	LC50	300 mg/l	96 h	Lepomis macrochirus	ECHA Dossier
	Acute crustacea toxicity	EC50	200 - 227 mg/l	48 h	Ceriodaphnia sp.	ECHA Dossier
1312-76-1	Silicic acid, potassium salt MR >2,6					
	Acute fish toxicity	LC50 mg/l	> 146	96 h	Leuciscus idus	ECHA dossier

Safety Data Sheet

according to Regulation (EC) No 1907/2006

HYLINEHSL-90

Revision date: 01.03.2021

Product code:

Page 9 of 13

	Acute algae toxicity	ErC50	207 mg/l	72 h	Desmodesmus subspicatus	ECHA dossier	other guideline: DIN 38412
	Acute crustacea toxicity	EC50 mg/l	> 146	48 h	daphnia magna	ECHA dossier	

12.2. Persistence and degradability

The product has not been tested.

The surfactants contained in this preparation comply with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents.

12.3. Bioaccumulative potential

No indication of bioaccumulation potential.

12.4. Mobility in soil

No data available.

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

12.6. Endocrine disrupting properties

No data available.

12.7. Other adverse effects

No data available.

Further information

Do not allow to enter into surface water or drains.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Observe in addition any national regulations! Consult the local waste disposal expert about waste disposal.

Non-contaminated packages may be recycled.

due to the alkaline character of the product, usually, it has to be neutralized before contaminated effluents are introduced into the waste water treatment system.

According to (EWC) European Waste Catalogue, allocation of waste identity numbers/waste descriptions must be carried out in a specific way for every industry and process.

Control report for waste code/ waste marking according to (EWC) European Waste Catalogue:

List of Wastes Code - residues/unused products

200129 MUNICIPAL WASTES (HOUSEHOLD WASTE AND SIMILAR COMMERCIAL, INDUSTRIAL AND INSTITUTIONAL WASTES) INCLUDING SEPARATELY COLLECTED FRACTIONS; separately collected fractions (except 15 01); detergents containing hazardous substances; hazardous waste

List of Wastes Code - used product

200129 MUNICIPAL WASTES (HOUSEHOLD WASTE AND SIMILAR COMMERCIAL, INDUSTRIAL AND INSTITUTIONAL WASTES) INCLUDING SEPARATELY COLLECTED FRACTIONS; separately collected fractions (except 15 01); detergents containing hazardous substances; hazardous waste

List of Wastes Code - contaminated packaging

150110 WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately collected municipal packaging waste); packaging containing residues of or contaminated by hazardous substances; hazardous waste

Contaminated packaging

Handle contaminated packages in the same way as the substance itself.

SECTION 14: Transport information

Safety Data Sheet

according to Regulation (EC) No 1907/2006

HYLINEHSL-90

Revision date: 01.03.2021

Product code:

Page 10 of 13

Land transport (ADR/RID)

14.1. UN number:

UN 3262

14.2. UN proper shipping name:

CORROSIVE SOLID, BASIC, INORGANIC, N.O.S. (sodium hydroxide, sodium metasilicate pentahydrate)

14.3. Transport hazard class(es):

8

14.4. Packing group:

II

Hazard label:

8



Classification code:

C6

Special Provisions:

274

Limited quantity:

1 kg

Excepted quantity:

E2

Transport category:

2

Hazard No:

80

Tunnel restriction code:

E

Inland waterways transport (ADN)

14.1. UN number:

UN 3262

14.2. UN proper shipping name:

CORROSIVE SOLID, BASIC, INORGANIC, N.O.S. (sodium hydroxide, sodium metasilicate pentahydrate)

14.3. Transport hazard class(es):

8

14.4. Packing group:

II

Hazard label:

8



Classification code:

C6

Special Provisions:

274

Limited quantity:

1 kg

Excepted quantity:

E2

Marine transport (IMDG)

14.1. UN number:

UN 3262

14.2. UN proper shipping name:

CORROSIVE SOLID, BASIC, INORGANIC, N.O.S. (sodium hydroxide, sodium metasilicate pentahydrate)

14.3. Transport hazard class(es):

8

14.4. Packing group:

II

Hazard label:

8



Marine pollutant:

NO

Special Provisions:

274

Limited quantity:

1 kg

Excepted quantity:

E2

EmS:

F-A, S-B

Segregation group:

18 - alkalis

Air transport (ICAO-TI/IATA-DGR)

Safety Data Sheet


according to Regulation (EC) No 1907/2006

HYLINEHSL-90

Revision date: 01.03.2021

Product code:

Page 11 of 13

14.1. UN number:	UN 3262
14.2. UN proper shipping name:	CORROSIVE SOLID, BASIC, INORGANIC, N.O.S. (sodium hydroxide, sodium metasilicate pentahydrate)
14.3. Transport hazard class(es):	8
14.4. Packing group:	II
Hazard label:	8
	
Special Provisions:	A3 A803
Limited quantity Passenger:	5 kg
Passenger LQ:	Y844
Excepted quantity:	E2
IATA-packing instructions - Passenger:	859
IATA-max. quantity - Passenger:	15 kg
IATA-packing instructions - Cargo:	863
IATA-max. quantity - Cargo:	50 kg

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

14.6. Special precautions for user

Refer to section 6-8

14.7. Maritime transport in bulk according to IMO instruments

not relevant

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

2010/75/EU (VOC):	No information available.
2004/42/EC (VOC):	No information available.
Information according to 2012/18/EU (SEVESO III):	Not subject to 2012/18/EU (SEVESO III)

Additional information

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (amended by Regulation (EU) No 2020/878)
The mixture is classified as hazardous according to regulation (EC) No 1272/2008 [CLP].
Regulation (EC) No. 648/2004 (Detergents regulation)
REACH 1907/2006 Appendix XVII, No (mixture): -

National regulatory information

Employment restrictions:	Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC).
Water hazard class (D):	1 - slightly hazardous to water

15.2. Chemical safety assessment

For the following substances of this mixture a chemical safety assessment has been carried out:
sodium hydroxide; caustic soda
Silicic acid, potassium salt MR >2,6

SECTION 16: Other information

Changes

Rev. 1.0; Initial release, 01.03.2021

Safety Data Sheet

according to Regulation (EC) No 1907/2006

HYLINEHSL-90

Revision date: 01.03.2021

Product code:

Page 12 of 13

Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
CAS Chemical Abstracts Service
CLP: Classification, Labelling and Packaging of substances and mixtures
DNEL: Derived No Effect Level
d: day(s)
EINECS: European INventory of Existing Commercial chemical Substances
ELINCS: European List of Notified Chemical Substances
ECHA: European Chemicals Agency
EWC: European Waste Catalogue
IARC: INTERNATIONAL AGENCY FOR RESEARCH ON CANCER
IMDG: International Maritime Code for Dangerous Goods
IATA: International Air Transport Association
IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)
ICAO: International Civil Aviation Organization
ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO)
GHS: Globally Harmonized System of Classification and Labelling of Chemicals
GefStoffV: Gefahrstoffverordnung (Ordinance on Hazardous Substances, Germany)
h: hour
LOAEL: Lowest observed adverse effect level
LOAEC: Lowest observed adverse effect concentration
LC50: Lethal concentration, 50 percent
LD50: Lethal dose, 50 percent
NOAEL: No observed adverse effect level
NOAEC: No observed adverse effect concentration
NLP: No-Longer Polymers
N/A: not applicable
OECD: Organisation for Economic Co-operation and Development
PNEC: predicted no effect concentration
PBT: Persistent bioaccumulative toxic
RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)
REACH: Registration, Evaluation, Authorisation of Chemicals
SVHC: substance of very high concern
TRGS: Technische Regeln für Gefahrstoffe
UN: United Nations
VOC: Volatile Organic Compounds

Classification for mixtures and used evaluation method according to Regulation (EC) No. 1272/2008 [CLP]

Classification	Classification procedure
Met. Corr. 1; H290	On basis of test data
Skin Corr. 1A; H314	Calculation method
Eye Dam. 1; H318	Calculation method

Relevant H and EUH statements (number and full text)

H290	May be corrosive to metals.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H335	May cause respiratory irritation.

Further Information

Classification according to Regulation (EC) No 1272/2008 [CLP] - Classification procedure:
Health hazards: Calculation method.

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

HYLINEHSL-90

Revision date: 01.03.2021

Product code:

Page 13 of 13

Environmental hazards: Calculation method.

Physical hazards: On basis of test data and / or calculated and / or estimated.

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)